




2011 Quick Cross Reference

Product Guide

 **MOEN®**
COMMERCIAL
www.moencommercial.com

COMMERCIAL FAUCETS
Two-Handle Lavatory

 Water saving logo denotes products contributing to water conservation and energy efficiency.

TWO-HANDLE LAVATORY

	MOEN	AMERICAN STANDARD	CHICAGO	DELTA	SPEAKMAN	T & S BRASS	ZURN
 Less Pop-up	8215	5500.170 5502.170	802-317CP	21C134	SC-3074-LD-VR	B-0890-VRS	Z81104
 Less Pop-up 0.5gpm	8217	5500.170V5 5502.170	802-VE2805-317CP	21C154	SC-3074-LD-B0	B-0890-CR-LF05	Z81104-3M
 With Pop-up	8219	5501.170	797-317CP	21C234	SC-3064	B-0891	Z81104-P
 Less Pop-up	8210	5500.140	802-CP	21C143	SC-3072-LD	B-0871	Z81101
 Less Pop-up	8211	5500.140.V05	802-VE2805CP	—	SC-3075-BOCA	B-0871-VF05	Z81101-3M
 With Pop-up	8216	5501.140	797-CP	21C233	SC-3064	B-0870	Z81101-P

COMMERCIAL FAUCETS
Two-Handle Lavatory

 Water saving logo denotes products contributing to water conservation and energy efficiency.

TWO-HANDLE LAVATORY (cont.)

	MOEN	AMERICAN STANDARD	CHICAGO	DELTA	SPEAKMAN	T & S BRASS	ZURN
 Less Pop-up	8228	6500.170	404-317CP	23T314	SC-3044-LD	B-2990-WH4	Z831R4
 Less Pop-up 0.5gpm	8237	6500.170V5	—	23C354	SC-3044-LD-B0	B-2990-WH4-F-05	Z831R4-3M
 With Pop-up	8239	6501.170	746-317CP	23C434	SC-3044	B-2990-PWH4	Z831R4-P
 Less Pop-up	8220	6500.140	404-CP	23C333	SC-3032-LD	B-2990	Z831R1
 Less Pop-up	8221	—	—	—	SC-3042-B0	—	Z831R1
 With Pop-up	8223	6501.140	746-CP	23C433	SC-3032	B-2990-P	ZR31R1-P



COMMERCIAL

COMMERCIAL FAUCETS
Bar/Pantry



Water saving logo denotes products contributing to water conservation and energy efficiency.

TWO-HANDLE BAR/PANTRY

	MOEN	AMERICAN STANDARD	CHICAGO	DELTA	KOHLER	SPEAKMAN	T & S BRASS	ZURN
	8278	—	895-317CP	27C4844	—	SC-3084-LD	B-0892	Z812A4
	8279	7500.170	895-317GN2AE3CP 895-317GN2FC	27C4944	K-7305-5A-CP	SC-3084-LD-5	B-0892-01	Z812B4
	8270	7500.140	895-CP	27C4843	—	SC-3082-LD	B-0874	Z812A1
	8272	—	895-GN2AE3CP	27C4943	—	SC-3082-LD-5	—	Z812B1
	8273	—	891-CP	27C4233	K15270-4	—	—	Z812F1
	8277	7573.24	891-E2CP	2121	—	—	B-1110	—

SINGLE-HANDLE MULTI-PURPOSE

	MOEN	AMERICAN STANDARD	CHICAGO	DELTA	SPEAKMAN	T & S BRASS	ZURN
	8125	—	2303-CP	—	—	B-2740	—
	8137	—	2302-CP	711-WFHDF 710-WFHDF	S-3661	B-2741	Z824B0
	8138	—	2304-CP	—	S-3661HS	B-2744	Z824S0-HS

Property of Moen Incorporated. All data is for reference only. Specifications subject to change without notice.

COMMERCIAL

COMMERCIAL FAUCETS
Two-Handle Kitchen



Water saving logo denotes products contributing to water conservation and energy efficiency.

TWO-HANDLE KITCHEN

	MOEN	AMERICAN STANDARD	CHICAGO	DELTA	ELKAY	JUST	SPEAKMAN	T & S BRASS	ZURN
	8225	6530.170	786-GN8AE3CP 201-AGN8AE3-317	27C2934	—	J-1174-R JTR-51-W4	SC-3004-LD-8	B-0865-04	Z831C4
	8227	6530.140	201-AGN8AE2805-5-317CP 201-AGN8AE3-369 201-AGN8AE3ABCP 786-E3-369CP	27C2933	LK2439	—	SC-3002-LD-8	B-2850	Z831C1
	8289	—	1100-GN2AE3-317CP 1100-HA8CP	26C3934	—	—	SC-5724 SC-3004-BOCA	—	Z871C4
	8287	—	—	26C3933	—	—	SC-5722-BOCA SC-5722	—	Z871C1
	8241	—	201-ACP 1888-369CP	27T2243	—	—	SC-3002-LD	B-2855	Z831J1
	8248	6530.170	786-E3CP 786-E3VPCCP 786-E3XKCP 786-GN2FC	23C644	—	—	SC-3004-LD	B-0865-0U B-2865-4 B-2866-4 B-2866-5 B-2867-4	Z831B4
	8242	—	200-AGN8AE3CP	27C1933	—	—	SC-5722-HS	—	Z831B4-HS
	8244	—	200-AGN8AE3-317CP	27C1934	—	—	SC-5724-HS	B-2347	Z831C4-HS

Property of Moen Incorporated. All data is for reference only. Specifications subject to change without notice.


MOEN®
COMMERCIAL

COMMERCIAL FAUCETS
Service Sink/Laboratory




Water saving logo denotes products contributing to water conservation and energy efficiency.

SERVICE SINK FAUCETS

	MOEN	AMERICAN STANDARD	CHICAGO	DELTA	FIAT	SPEAKMAN	T & S BRASS	ZURN
	8124	8344.112.002	897-CP, 540-LD897SCP, 540-LD897SWXFCP	28C2383	—	SC-5811 SC-5812	B-0665-POL	Z843M1
	8230	—	897-RCF 445-897S	28C8063	830-AA	SC-5811-RCP SC-5812-RCP	B-0660-RGH B-0665-BSTR	Z841M1-RC Z843M1-RC
	8232*	8345.110	815-CP	28C2384	—	SC-5814	B-0664	Z841M4
	8119	7292.152	540-LDL12CP 540-LDL12E1WXFABCP	28C4444	—	SC-5744-9	—	Z842H4
	8126	7293.152	631-CP	28C4934	—	SC5744	B-0330-04	Z842C4

*WITHOUT FLUSH VALVE PIPE SUPPORT

LABORATORY FAUCETS

	MOEN	AMERICAN STANDARD	CHICAGO	DELTA	ELKAY	SPEAKMAN	T & S BRASS	ZURN
	8103	—	350-CP	27T643	LKVR208513	SC-7112	BL-5709-04	Z825B1
	8113	—	50-CP	25C3847	—	SC-7122	BL-5704-04	Z826B1
	8106	—	928-369CP	W6600	—	SC-7114-VB6-ST	BL-5705-09	Z825T1-6M
	8116	7272.221	930-369CP	W6700	—	SC-7122VB6-ST	BL-5704-09	Z826T1-6M

Property of Moen Incorporated. All data is for reference only. Specifications subject to change without notice.


MOEN®
COMMERCIAL

COMMERCIAL FAUCETS
Single-Handle/Metering Lavatory



Water saving logo denotes products contributing to water conservation and energy efficiency.

SINGLE-HANDLE LAVATORY

	MOEN	AMERICAN STANDARD	CHICAGO	DELTA	KOHLER	SYMMONS	T & S BRASS	ZURN
 Less Pop-up	8413	1480.115	420-CP 2200-4E2805CP	22C101	K-15199-P	S-20-0	B-2711	Z81000 Z81000-17M
 With Pop-up	8414	1480.110	—	22C301	K-15582-F K-15198-F	S-20-2	B-2710	Z81000-P
 Less Pop-up	8416	2385.008	—	511-WFHDF	K-15592-5P	S-20-W	B-2711-LH	—
 Less Pop-up	8417	—	2200-CP	22C601	—	—	—	Z82200
 With Pop-up	8419	—	2201-CP	22C801	K-14616-4	—	—	Z82200-P

METERING FAUCETS

	MOEN	AMERICAN STANDARD	CHICAGO	DELTA	SPEAKMAN	T & S BRASS	ZURN
	8884	1340.105	333-665PSHCP 3400-ABCP 807-665PSHCP 857-E12-665PSHCP	86T1104	S-4122	B-0712	Z86100
	8886	1340.225	802-665CP 802-336CP 802-A665-E2805 802-VE2805-335CP	86T1153	S-4141-LD	B-0831 B-0837	Z86500
	8889	1340.825	404-665CP	86T1350	S-4171-LD	B-2991	Z867R0

Property of Moen Incorporated. All data is for reference only. Specifications subject to change without notice.

MOEN®
COMMERCIAL

COMMERCIAL FAUCETS
Electronic Lavatory Faucets - Battery Powered

 Water saving logo denotes products contributing to water conservation and energy efficiency.

ELECTRONIC LAVATORY FAUCETS - BATTERY POWERED

	MOEN	AMERICAN STANDARD	CHICAGO	DELTA	SLOAN	SPEAKMAN	TOTO	ZURN
 	8301	6057.205	116.606.AB.1	591T1250	EBF-187-4 EBF-85-4 EBF-650	S-9020	—	Z6915 Z6915-CWB
 	8302	—	116.201.21.1	590-LGHGMHDF	EBF-615	—	—	Z6912 Z6914
 	8303	—	116.203.21.1	3001T3320	EBF-750	—	—	Z6920
 	8304	—	116.204.21.1	1501T4628	EBF-550	—	—	Z6922
 	8305	—	116.211.21.1 116.212.21.1 116.201.21.1	590T1128	EAF-150	—	TEL3GSC-60	Z6918
  AC power	8306	2506.165	116.101.21.1	590T0128	EAF-100-P	S-8821-BO	—	Z6918E
 	8307	—	116.221.21.1 116.222.21.1	596-LGHGMHDF	EAF-150-ISM	—	—	Z6918-ADM
  AC power	8308	—	116.121.21.1	—	EAF-100-P-15M	—	—	Z6918E-ADM

Property of Moen Incorporated. All data is for reference only. Specifications subject to change without notice.

MOEN®
COMMERCIAL

ENERGY-SAVING FLUSH VALVES
Electronic Flush Valves

 Water saving logo denotes products contributing to water conservation and energy efficiency.

BATTERY POWERED

	MOEN	DELANY	DELTA	KOHLER	SLOAN	TOTO	ZURN
 	8310	I1402-0B	81T201BT	K-10957	111-SMO 8110 8111 8111-1.6 111-1.6	TET1GNC	ZER6000-CPM
 	8311	—	81T201-48BT	K10956	8111-1.28 8115-1.28	TET1LN	ZEMS600AV-HET ZTS6200EV
 	8312	I451-1	81T231BT	K-10960	186-1-SMO 8186-1.0	TEU1GNC	ZER6003-CPM
 	8313	—	81T221BTA-05	—	8115-1.6	TET6LN (1.28)	ZER6000AV-3-CPM ZEM6003AV-ULF-CPM
 	8314	I452-1	—	—	8180 SERIES	TEU1GNC-22	ZER6001-CPM
 	8315	—	—	K-10958	8186-0.5 186-0.5-SMO	TEU1LN TEU1LN12	ZEMS6003AV-EWS-IS
 	8316	—	81T231BTA-05	—	8186-0.13	—	ZEG6003EV ZEG6003AV ZER6003AV-ULF-CPM
  DUAL FLUSH	8310DF16	—	81T201BTA-DF	—	ECOS8111-1.6/1.1	—	ZER6000AV-WSI-DF

Property of Moen Incorporated. All data is for reference only. Specifications subject to change without notice.

ENERGY-SAVING FLUSH VALVES
Electronic Flush Valves

 Water saving logo denotes products contributing to water conservation and energy efficiency.

A/C POWERED							
	MOEN	DELANY	DELTA	KOHLER	SLOAN	TOTO	ZURN
	8310AC16	F1302-1.6	81T201HW	—	111 ES-S 111 1.6 ES-S	—	ZEMS6000AV-IS ZEMS6000AV-WSI
 	8311AC12	—	81T201-30-48HW	—	ECOS 111-1.28	—	—
	8312AC10	F1351-1	81T231HW	—	186-1.0 ES-S	—	ZEMS6001AV-IS ZES6003AV-IS
 	8315AC05	—	—	—	186-0.5 ES-S	—	—
 	8316AC	—	81T231HWA-05	—	—	—	ZEMS6003AV-ULF-IS
 	8310ACDF16	—	81T201HWA-DF	—	ECOS111- 1.6/1.1HW	—	—

ENERGY-SAVING FLUSH VALVES
Electronic Retro-Fit Flush Valves

 Water saving logo denotes products contributing to water conservation and energy efficiency.

BATTERY POWERED							
	MOEN	DELANY	DELTA	KOHLER	SLOAN	TOTO	ZURN
	8310R16	4004A-1.6	81T201-30BT	K-10677	EBV-89-A-M	TET1GNC	ZERK-CPM*
	8312R10	4004A-1	81T231-30BT	K-10679	EBV-89-A-M	TEU1GNC	ZERK-CPM*
 	8310RDF16	—	—	—	ECOS RESS-XD-C	—	ZERK-C-1.6-DF

* SIDE FLUSH ELECTRONIC ADAPTER

COMMERCIAL FAUCETS
Single-Handle Faucets

SINGLE-HANDLE FAUCETS						
	MOEN	AMERICAN STANDARD	DELTA	KOHLER	SPEAKMAN	SYMMONS
 Less Pop-up	8430	2385.004	501-WFHDF	—	S-3561-LD	S-20
  Less Drain 0.5 gpm	8433	2385.406	501-WFHGMHDF	K-15597-F	S-3551-B0	S-20-FR
	8701	4175.501	100-WFELHHDF	—	S-3761	S-23
	8707	4175.501 WITH SIDESPRAY	400-WFELHHDF	—	—	S-23-3

MOEN®
COMMERCIAL

COMMERCIAL FAUCETS
Two-Handle Faucets

 Water saving logo denotes products contributing to water conservation and energy efficiency.

	MOEN	DELTA	KOHLER	SPEAKMAN	SYMMONS	ZURN
 Less Pop-up	8800	2529-LGHDF	K-15635	—	S-250-LWG	—
 With Pop-up	8820	2529-HDM	K-15637	—	S-250-2-LWG	—
 Less Pop-up	8915	2523-LGHDF	K-15240-4	—	S-250	—
 With Pop-up	8917	—	K15241-4	—	S-250-2	—
	8938	2171-WBHDF	—	—	S-245-LWG	—
	8957	27C4943	—	—	S-245-LAM	—
	8798	26C3134	—	—	S-248-LWG	—
	8780	2100-HDF	—	—	S-248-LAM	—
	8799	26C3934	—	SC-5724	—	—



Property of Moen Incorporated. All data is for reference only. Specifications subject to change without notice.

MOEN®
COMMERCIAL

COMMERCIAL SHOWERING
Pressure Balancing Showering Products

 Water saving logo denotes products contributing to water conservation and energy efficiency.

PRESSURE BALANCING SHOWERING PRODUCTS

	MOEN	AMERICAN STANDARD	DELTA	KOHLER	LEONARD	SPEAKMAN	SYMMONS	ZURN
 With Stops	8370	—	T13090+R10000-UNWS	—	PAM-II-ST-F	SM-3000	86-2-X C-96-1-295-X	Z7300-SS-MT
 With Stops	8375	—	T13290+R10000-UNWS	—	—	SM-3010 SM-4410	S-96-1	Z7101-SS-LH Z7301-SS-MT
 With Stops	8375EP15	—	T13H132+R1000-UNWS	—	—	SM-5410 SM-5010	S-96-1-1.5	Z7301-SS-MT-S9
 With Stops	8389	—	T13490+R10000-UNWS	K-T6908-4A-CP	—	SM-3030 SM-2030	96-2-X	Z7302-SS-MT
 With Stops	8389EP15	—	T13H232+R10000-UNWS	—	—	SM-5030 SM-4430	96-2-1.5	Z7302-SS-MT-S8

Property of Moen Incorporated. All data is for reference only. Specifications subject to change without notice.

COMMERCIAL SHOWERING
Pressure Balancing Showering Products

 Water saving logo denotes products contributing to water conservation and energy efficiency.

PRESSURE BALANCING SHOWERING PRODUCTS

	MOEN	AMERICAN STANDARD	DELTA	KOHLER	LEONARD	SPEAKMAN	SYMMONS	ZURN
	8346	1662.601	—	—	—	SM-3040	96-300-B30-L-V-X S-96-300-B 96-300-B30-L-V-X S-96-300-B30-L-V-X	Z7100-SS-LH-HW Z7120-SS-LH-HW Z7300-SS-MT-HW
	8346EP15	—	T13H152+R10000-UNWS	—	—	—	S-96-300-B30-L-V-1.5 3503-H321-V-CYL	Z7300-SS-MT-HW6-1.5
	8342	—	T13H312+R10000-UNWS	—	4505	SM-3060	25-500-B30-V 96-500-B30-L-V-X	Z7301-SS-MT-DV2P-HW
	8342EP15	—	T13H333+R10000-UNWS	—	—	—	3505-H321-V-CYL	Z7301-SS-MT-DV-2P-HW-H9-S9
	8343	—	T13H912+R10000-UNWS	—	—	SM-3070	S-96-600-B30-L-V-X	Z7302-SS-MT-DV-2P-HW
	52710	—	060124A RPW324HDF	—	—	VS-1001-ADA	H423V T-300B-30-V	Z7000-HW
	52710EP15	—	—	—	—	—	T-300B-30-V-1.5	Z7000-HW-H9

COMMERCIAL
Showering Accessories

 Water saving logo denotes products contributing to water conservation and energy efficiency.

SHOWERING ACCESSORIES

	MOEN	CHICAGO	DELTA	SPEAKMAN	SYMMONS	T & S BRASS	ZURN
	8360 # OF OUTLETS: 3	—	190253A # OF OUTLETS: 2	S-1182 # OF OUTLETS: 2	4-460 # OF OUTLETS: 3	—	Z7000-DV-2P # OF OUTLETS: 3
	8290 8290EP15	621-CP —	060793A 061011A	S-2285-AF —	4-150-15 4-150-15	B-1092 —	— —
	8292	—	—	S-2285-AF	4-295	—	Z7000-17
	52716EP15	—	RP46384	—	—	—	Z700-S9



For more information, call
1-800-BUY-MOEN.
Or e-mail: specmoen@moen.com

© 2011 Moen Incorporated. All rights reserved.

U.S. Headquarters:
MOEN INCORPORATED
25300 Al Moen Drive,
North Olmsted, Ohio 44070-8022
1-800-BUY-MOEN

 **MOEN®**
COMMERCIAL

www.moencommercial.com